UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/630,896	08/02/2000	Timothy J. Moulsley	PHB 34 , 390	7981
24737 7590 05/27/2009 PHILIPS INTELLECTUAL PROPERTY & STANDARDS P.O. BOX 3001 PRIADCH WE MANOR NY 10510			EXAMINER	
			GREY, CHRISTOPHER P	
BKIAKCLIFF	IANOR, NY 10510		ART UNIT	PAPER NUMBER
			2416	
			MAIL DATE	DELIVERY MODE
			05/27/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	09/630,896	MOULSLEY ET AL.
Office Action Summary	Examiner	Art Unit
	CHRISTOPHER P. GREY	2416
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTHS FROM THE MAILING IDENTIFY OF THE MONTH OF THE M	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>03 and 03 a</u>	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 15,18-20,23-25,28-30 and 33-41 is/s 4a) Of the above claim(s) 20,23-25,28,29 and 5) Claim(s) is/are allowed. 6) Claim(s) 15,18,19,30,33-36 and 41 is/are rejection is/are objected to. 8) Claim(s) are subject to restriction and/s	d 37-40 is/are withdrawn from consected.	ideration.
Application Papers		
9) The specification is objected to by the Examir 10) The drawing(s) filed on is/are: a) according an applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the Examir 11).	ccepted or b) objected to by the e drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the pri application from the International Bures * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

Application/Control Number: 09/630,896 Page 2

Art Unit: 2416

DETAILED ACTION

Election/Restrictions

1. Applicant's election with traverse of claims 15, 18, 19, 30, 33, 34, 35, 36 and 41 in the reply filed on 3/3/09 is acknowledged. The traversal is on the ground(s) that the applicant believes that there is no burden placed on the examining corps to continue to examine all of the claims of the application as one group. This is not found persuasive because as indicated by the restriction requirement of the previous office action, each group (groups I-III), requires a separate classification within the art and is mutually exclusive to the other, which places a burden on the examiner in examining such claims. Group I, being the combination, teaches a radio communication system, and shows a primary station and a plurality of secondary stations in communication. Groups II and III, being the subcombinations, showing the details of the primary station (such as the determination of the availability and highest data rate) and plurality of secondary stations (creation of an access request) respectively. The combination fails to show the details of groups II and III. Furthermore, groups II and III are related as subcombinations useable together.

The requirement is still deemed proper and is therefore made FINAL.

2. Claims 20,23-25,28,29 and 37-40 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected Group, there being no allowable generic or linking claim. Applicant timely traversed the restriction (election) requirement in the reply filed on 3/3/09

Application/Control Number: 09/630,896 Page 3

Art Unit: 2416

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 15, 18, 19, 35, 30, 33, 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cho (WO 00/13426) in view of Korpela et al. (US 6167283), hereinafter referred to as Kor.

Regarding claim 15, Cho discloses a primary station (page 5, line 13, base station is equivalent to primary station) operable to transmit a random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated) on each random access channel of a plurality of random access channels (page 6 lines 1-2, where the broadcast channel frame that contains channel status info is broadcast to all mobile stations on such an access channel);

a plurality of secondary stations (page 5 line 15, mobile station) operable to receive the random access channel status message (page 5 lines 15-16 where the mobile receives the broadcast channel frame), wherein each secondary station (page 5 line 15, mobile station) is further operable to determine which random access channel to request (page 5 lines 15-17, where the mobile selects which channel code based on availability, and then transmits a channel assignment request)

based on the random access channel status message (page 5 lines 15-17, where the request is generated based on the reception of the broadcast channel message at the mobile);

Cho does not specifically disclose including an indicated highest available data rate.

Kor discloses including an indicated highest available data rate (Col 6 lines 24-26, "the maximum available bit rate v indicated by a control message sent by the base station").

It would have been obvious to one of the ordinary skill in the art at the time of the invention was disclosed to modify the process of allocating a transmission rate of Cho, as taught by Kor, since stated in Col 3 lines 20-25 that such a modification will be able to direct terminals to use a suitable cell if there are available cells that have different capacities.

Regarding claim 18. Cho discloses wherein the random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated) is transmitted by said primary station (page 5, line 13, base station is equivalent to primary station) as a part of a paging indicator channel (the frame data of BCCH includes the PID of the mobile, which implies that the mobile station is pages from the network, the mobile station attempts a channel access and when the mobile requests the channel assignment for paging, the mobile station NR and AR fields indicating a reqd assigned band and an additional assigned band respectively are both set to 0 because the mobile does not know a band for

Application/Control Number: 09/630,896

Art Unit: 2416

processing traffic, thus indicating that the BCCH is transmitted as a part of paging and a band acquisition traffic as disclosed on page 11, lines 3-21).

Page 5

Regarding claim 19. Cho discloses wherein the random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated) is transmitted by said primary station (page 5, line 13, base station is equivalent to primary station) as a part of an acquisition indication channel (the frame data of BCCH includes the PID of the mobile, which implies that the mobile station is pages from the network, the mobile station attempts a channel access and when the mobile requests the channel assignment for paging, the mobile station NR and AR fields indicating a reqd assigned band and an additional assigned band respectively are both set to 0 because the mobile does not know a band for processing traffic, thus indicating that the BCCH is transmitted as a part of paging and a band acquisition traffic as disclosed on page 11, lines 3-21).

Regarding claim 30, Cho discloses transmitting from a primary, station (page 5, line 13, base station is equivalent to primary station), a random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated) that includes information of each of a plurality of random access channels (page 5 lines 13-15, where the status info is data specifying occupied or not for each code/channel);

receiving at a secondary station (page 5 line 15, mobile station), the random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated);

selecting (page 5 line 15, "the mobile station selects") at the secondary station (page 5 line 15, mobile station), a selected random access channel (page 5 lines15-18, where the channel code is selected and a channel request is sent on a RACH) based on the received random access channel status message (page 5 lines 15-17, where the request is generated based on the reception of the broadcast channel message at the mobile);

requesting (page 5 lines 15-17, where the mobile selects which channel code based on availability, and then transmits a channel assignment request) by the secondary station (page 5 line 15, mobile station), a selected (page 3 lines 15-17, where the code is selected and RACH is thus requested) random access channel (page 5, the channel code, or channel is equivalent to the resource) from the primary station (page 5, line 13, base station is equivalent to primary station).

Cho does not specifically disclose the information including an indicated highest available data rate.

Kor discloses the information (Col 6 lines 24-26, where control information is equivalent to the status information taught by Cho) including an indicated highest available data rate (Col 6 lines 24-26, "the maximum available bit rate v indicated by a control message sent by the base station").

It would have been obvious to one of the ordinary skill in the art at the time of the invention was disclosed to modify the process of allocating a transmission rate of Cho, as taught by Kor, since stated in Col 3 lines 20-25 that such a modification will be able to direct terminals to use a suitable cell if there are available cells that have different capacities.

Regarding claim 33. Cho discloses wherein the random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated) is transmitted by said primary station (page 5, line 13, base station is equivalent to primary station) as a part of a paging indicator channel (the frame data of BCCH includes the PID of the mobile, which implies that the mobile station is pages from the network, the mobile station attempts a channel access and when the mobile requests the channel assignment for paging, the mobile station NR and AR fields indicating a reqd assigned band and an additional assigned band respectively are both set to 0 because the mobile does not know a band for processing traffic, thus indicating that the BCCH is transmitted as a part of paging and a band acquisition traffic as disclosed on page 11, lines 3-21).

Regarding claim 34, Cho discloses wherein the random access channel status message (page 5 line 13 teaches a broadcast channel frame being generated) is transmitted by said primary station (page 5, line 13, base station is equivalent to primary station) as a part of an acquisition indication channel (the frame data of BCCH includes the PID of the mobile, which implies that the mobile station is pages from the network, the mobile station attempts a channel access

and when the mobile requests the channel assignment for paging, the mobile station NR and AR fields indicating a reqd assigned band and an additional assigned band respectively are both set to 0 because the mobile does not know a band for processing traffic, thus indicating that the BCCH is transmitted as a part of paging and a band acquisition traffic as disclosed on page 11, lines 3-21).

Regarding claim 35. Cho does not specifically disclose wherein the indicated highest available data rate serves to identify whether the corresponding random access channel is available, and identifies a highest available data rate for available channels of the plurality of random access channels.

Kor discloses wherein the indicated highest available data rate (Col 6 lines 24-26, "the maximum available bit rate v indicated by a control message sent by the base station") serves to identify whether the corresponding random access channel is available (Col 6 lines 24-26, where the word "available shows that this indication shows availability), and identifies a highest available data rate for available channels (the channels b/w BS and terminals) of the plurality of random access channels (plurality of channels exist b/w base station and plurality of terminals).

It would have been obvious to one of the ordinary skill in the art at the time of the invention was disclosed to modify the process of allocating a transmission rate of Cho, as taught by Kor, since stated in Col 3 lines 20-25 that such a modification will be able to direct terminals to use a suitable cell if there are available cells that have different capacities.

5. Claims 36 and 41 are rejected under 35 U.S.C. 103(a) as being unpatentable over Cho (WO 00/13426) in view of Korpela et al. (US 6167283) in view of Persson et al. (US 6028851), hereinafter referred to as Persson.

Page 9

Regarding claim 36, The combined teachings of Cho and Kor do not specifically disclose wherein the indicated highest available data rate of at least one available random access channel is lower than a highest data rate that could be made available to the at least one random access channel, based on a potential future demand for capacity.

Persson discloses wherein the indicated highest available data rate of at least one available random access channel is lower than a highest data rate that could be made available to the at least one random access channel, based on a potential future demand for capacity (Col 5 lines 60-65, where the maximum data rate is determined from the capacity, therefore future max data rate can be higher than the cirrent one depending on a capacity).

It would have been obvious to one of the ordinary skill in the art at the time of the invention was disclosed to modify the combined teachings of Cho and Kor, as taught by Persson, since stated in Col 6 lines 10-15, that such a modification would eliminate the injection of needless interference into the system by mobiles seeking access to the system when the base station does not presently have capacity to allow the access.

Regarding claim 41. The combined teachings of Cho and Kor do not specifically disclose wherein the indicated highest available data rate of at least one available random access channel is lower than a highest data rate that could be made

available to the at least one random access channel, based on a potential future demand for capacity.

Persson discloses wherein the indicated highest available data rate of at least one available random access channel is lower than a highest data rate that could be made available to the at least one random access channel, based on a potential future demand for capacity (Col 5 lines 60-65, where the maximum data rate is determined from the capacity, therefore future max data rate can be higher than the cirrent one depending on a capacity).

It would have been obvious to one of the ordinary skill in the art at the time of the invention was disclosed to modify the combined teachings of Cho and Kor, as taught by Persson, since stated in Col 6 lines 10-15, that such a modification would eliminate the injection of needless interference into the system by mobiles seeking access to the system when the base station does not presently have capacity to allow the access.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Choi (US 6963540) teaches a base station transmitting use status information of physical channels and maximum available data rate information on a status indicator channel. Park (US 6728233) discloses a rate indicator transmitter for generating a rate indicator having information about the determined bit rate and transmitting the generated rate indicator to the mobile station.

Application/Control Number: 09/630,896 Page 11

Art Unit: 2416

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTOPHER P. GREY whose telephone number is (571)272-3160. The examiner can normally be reached on 10AM-7:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Moe Aung can be reached on (571)272-7314. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Aung S. Moe/ Supervisory Patent Examiner, Art Unit 2416 /Christopher P Grey/ Examiner, Art Unit 2416